

JOHN D. KAYAL, M.D.

Fellow, American Academy of Dermatology Fellow, American College of Mohs Micrographic Surgery and Cutaneous Oncology Diplomat, American Board of Dermatology

<u>POST SURGERY INSTRUCTIONS</u> SKIN GRAFT - PLACENTAL MEMBRANE ALLOGRAFT

- 1. LEAVE THE REPAIR SITE DRESSING ON FOR 1 WEEK.
 - ➤ THE REPAIR SITE BANDAGE SHOULD STAY CLEAN AND DRY FOR 7 DAYS.
 - After 1 week, start white vinegar soaks by mixing 1 tablespoon of white vinegar with water in a "cereal bowl". Wet a clean cloth with this solution and apply it to the graft site for 15 minutes. Pat dry. Apply antibacterial ointment and light bandage.
 - ➤ Do not take aspirin, ibuprofen, or any other non-steroidal anti-inflammatory drugs unless directed by the physician. Tylenol is ok.
 - > Do this daily until the follow up appointment.
- 2. For the next 48 hours, you should keep your head elevated on two pillows when you lie down. (If your surgery site is located on the head.)
- 3. Hold an ice pack over the surgery site for 20 minutes, two or three times a day, for the first 48 hours.
- 4. Do not do any of the following for seven days.
 - > Do not drink any alcohol.
 - > Do not do any bending over.
 - > Do not do any vigorous exercise or sweating that might put the sutures under additional stress and interfere with prompt healing.
- 5. If you notice any bleeding from the surgical site(s), apply firm, direct pressure for 10 minutes, followed by ice packs for ten minutes, perform this procedure <u>twice</u>. If bleeding persists, call our office at 770-426-7177.

Updated: 8/22/2022